

SMOKE FACTORY

FOG AND HAZE GENERATORS

Fire Trainer



Fire Trainer - High Quality IP 64 Fogger
Der Fire Trainer wurde speziell für Übungen der Feuerwehr oder Sicherheitsdiensten entwickelt. Der Nebeloutput lässt sich mithilfe des Drehschalters in 3 Stufen regeln, so ist die Maschine selbst mit Handschuhen kinderleicht zu bedienen. Das IP 64 Edelstahlgehäuse ist mit Wandhalterung oder einem Gestell für den mobilen Einsatz erhältlich.

Fire Trainer - High Quality IP 64 Fogger
The Fire Trainer is developed especially for fire departments. With the three steps of fogoutput, the machine is easy to control even with gloves. The stainless steel case is resistant against water and heat. Available with wall mounting or frame (option).
Everything made in GERMANY.

SMOKE FACTORY

FOG AND HAZE GENERATORS



Technische Daten:

Prozedur:	Verdampferprinzip
Leistung:	2300 Watt
Versorgungsspannung:	1300 Watt (110 V) 230 V / 50 Hz 110 V / 50 Hz
Fassungsverm. Fluidbehälter: Nebelausstoß:	5 ltr. in 3 Stufen regelbar
Nebelzeit: Ansterungsmöglichkeiten:	~ 30 sec. auf 100 % Dauernebel bei < 60 % stand alone, analog 0-10V ~ 7 Minuten
Aufheizzeit: Temperaturregelung:	Mikroprozessor- gesteuert
Betriebsumgebungstemperatur:	5° C to 45° C
Fluidverbrauch:	200 ml/min. (max. output), 46 ml/min. (Dauernebel)
Gewicht: Maße:	12,1 Kg 33,5 x 25,9 x 32 cm

optionales Zubehör:

XLR Remote II (Kabelfernsteuerung) •
Funkfernsteuerung • Gestell • Timer •
DMX it! • 25 ltr. Kanisterdeckel

Technical Data:

Procedure:	vaporizing fog generator
Power: Power requirement:	2300 Watt 1300 Watt (110 V) 230 V / 50 Hz 110 V / 50 Hz
Fluid bottle capacity: Fog emission:	5 ltr. in 3 steps controllable
Fog time: Control choices:	~ 30 sec. on 100 % continuous fog < 60 % stand alone, analog 0-10V ~ 7 minutes
Heat-up time: Temperature control:	microprocessor- controlled
Ambient temperature:	5° C to 45° C (41° F to 113° F)
Fluid consumption:	200 ml/min. (max. output), 46 ml/min. (continuous)
Weight: Measures:	12,1 Kg 33,5 x 25,9 x 32 cm

optional Accessories:

XLR Remote II (cable remote) • radio remote •
frame •
Timer • DMX it! • 25 ltr. bottle connector

SMOKE FACTORY

FOG AND HAZE GENERATORS

Fire Trainer 110 V Version



Fire Trainer - High Quality IP 64 Fogger
Der Fire Trainer wurde speziell für Übungen der Feuerwehr oder Sicherheitsdiensten entwickelt. Der Nebeloutput lässt sich mithilfe des Drehschalters in 3 Stufen regeln, so ist die Maschine selbst mit Handschuhen kinderleicht zu bedienen. Das IP 64 Edelstahlgehäuse ist mit Wandhalterung oder einem Gestell für den mobilen Einsatz erhältlich.

Fire Trainer - High Quality IP 64 Fogger
The Fire Trainer is developed especially for fire departments. With the three steps of fogoutput, the machine is easy to control even with gloves. The stainless steel case is resistant against water and heat. Available with wall mounting or frame (option).
Everything made in GERMANY.

SMOKE FACTORY

FOG AND HAZE GENERATORS



Technische Daten:

Prozedur:	Verdampferprinzip
Leistung:	1300 Watt
Versorgungsspannung:	110 V / 50 Hz
Fassungsverm. Fluidbehälter: Nebelausstoß:	5 ltr. in 3 Stufen regelbar
Nebelzeit: Ansterungsmöglichkeiten:	~ 16 sec. auf 100 % Dauernebel bei < 60 % stand alone, analog 0-10V ~ 9 Minuten
Aufheizzeit: Temperaturregelung:	Mikroprozessor-gesteuert
Betriebsumgebungstemperatur:	5° C to 45° C
Fluidverbrauch:	169 ml/min. (max. output), 40 ml/min. (Dauernebel)
Gewicht: Maße:	12,1 Kg 33,5 x 25,9 x 32 cm

optionales Zubehör:

XLR Remote II (Kabelfernsteuerung) •
Funkfernsteuerung • Gestell • Timer •
DMX it! • 25 ltr. Kanisterdeckel

Technical Data:

Procedure:	vaporizing fog generator
Power: Power requirement:	1300 Watt 110 V / 50 Hz
Fluid bottle capacity: Fog emission:	5 ltr. in 3 steps controllable
Fog time: Control choices:	~ 16 sec. on 100 % continuous fog < 60 % stand alone, analog 0-10V ~ 9 minutes
Heat-up time: Temperature control:	microprocessor-controlled
Ambient temperature:	5° C to 45° C (41° F to 113° F)
Fluid consumption:	169 ml/min. (max. output), 40 ml/min. (continuous)
Weight: Measures:	12,1 Kg 33,5 x 25,9 x 32 cm

optional Accessories:

XLR Remote II (cable remote) • radio remote •
frame •
Timer • DMX it! • 25 ltr. bottle connector